



### DESIGN HIGHLIGHTS

- Quiet smooth motion
- Stylish look and finish

### OPTIONS


- PIC-H 1 size also available (for maximum travel of 710 [28])
- PIC-H 3 size also available (for maximum travel of 1010 [39.8])
- PIC-H Custom sizes also available

### NOTE


- All dimensions are measured in mm [in]



### DOWN POSITION



### UP POSITION



### FUNCTION

This mechanism will move a panel vertically to reveal a screen behind.

### SUITABILITY

This technical sheet uses the medium size version (PIC-H 2) of the mechanism as an example.

### SPECIFYING

The mechanism requires the screen to be recessed into the wall.

Maximum panel weight is 35kg [77.23lb].

### CONTROL

Supplied with basic infrared remote. Can be learnt by many learning remotes.

Also has switch control and RS232 so can be operated by relays, switches, Crestron / AMX or Lutron systems.

### WARNING


It is the responsibility of the installer to warn all potential end users of the dangers of interfering with mechanisms during operation

### IMPORTANT

Mechanisms which lift or move weights need to be checked on a yearly basis for any damage which may result in an accident



## Mechanism Details



NOTE: Custom sized mechanisms are available to suit specific requirements

## Mounting Details

**NOTE:**  
The screen should be mounted in a recess with suitable clearance around it for ventilation and mounting.




The depicted representative setup has the screen mounted on a Future Automation V74 product.

**CONTROL & SIGNAL:**  
A control box (measuring 220mm X 130mm X 50mm) shall need to be located in an easily accessible location.

A four-core mains power cable shall need to be routed from the control box to the mechanism.

A 1500mm long infrared lead shall be connected to the control box.

**PICTURE PANEL:**  
The maximum moving panel weight that the mechanism can lift is 35kg [77.2lb].  
Custom designs can be made to lift more; all custom designs have extra costs and longer lead times.



**DETAIL D**