Technical Sheet

0



DESIGN HIGHLIGHTS

- Quiet smooth action
- Full internal cable management
- Discrete look and finish
- Onboard electronics
- Easy Installation
- Universal projector mounting struts
- Top mounting option

OPTIONS

- Bespoke sizes available
- Any RAL colour available



WARNING

IMPORTANT

It is the responsibility of the installer to warn all potential end users of the dangers of interfering with mechanisms during operation

Mechanisms which lift or move weights need to be checked on a yearly basis for any damage which may result in an accident

www.futureautomation.co.uk tel: +44 (0) 1438 833 577 fax: +44 (0) 1438 833 565

FUNCTION

An electric, in-wall mechanism that hinges a projector down through 90°.

SUITABILITY

The PH2 can take a maximum size projector of -Width - 480mm [18.9] Height - 220mm [8.6] Depth - 510mm [20.0] Weight - 15Kg MAX [33.2lb]

SPECIFYING

Check depth of wall & makeup to decide on location & fixings to be used.

Check projector details for mounting possibilities.

Make sure the mechanism is free to move and is not obstructed.

CONTROL

Supplied with basic infrared remote.

Also has RS232 and contact closure so can be operated by relays, switches, Crestron / AMX or Lutron systems.





Cabinet Design



www.futureautomation.co.uk

Technical Sheet



ISSUE 007 SHEET 3 of 6

Mechanism Mounting



www.futureautomation.co.uk

Top Mounted Projector Option





Installation Details











DETAIL D